Contents

Number 1 January 1994

1 **A (1→3, 1→4)-β-glucan-specific monoclonal antibody and its use in the quantitation and immunocytochemical location of (1→3, 1→4)-β-glucans.** *P.J. Meikle, N.J. Hoogenraad, I. Bonig, A.E. Clarke and B.A. Stone*

11 **Fruit-specific expression of the *A. tumefaciens* isopentenyl transferase gene in tomato: effects on fruit ripening and defense-related gene expression in leaves.** *B. Martineau, C.M. Houck, R.E. Sheehy and W.R. Hiatt*

21 **Cytokinin induces the developmentally restricted synthesis of an extracellular protein in *Physcomitrella patens*.** *U. Neuenschwander, A.J. Fleming and C. Kuhlemeier*

33 **Co-suppression of the petunia homeotic gene *fbp2* affects the identity of the generative meristem.** *G.C. Angenent, J. Franken, M. Busscher, D. Weiss and A.J. van Tunen*

45 **Mutation analysis of the C-terminal vacuolar targeting peptide of tobacco chitinase: low specificity of the sorting system, and gradual transition between intracellular retention and secretion into the extracellular space.** *J -M. Neuhaus, M. Pietrzak and T. Boller*

55 **K^+ channels of stomatal guard cells: bimodal control of the K^+ inward-rectifier evoked by auxin.** *M.R. Blatt and G. Thiel*

69 **Cloning and structural analysis of the anthocyanin pigmentation locus *Rt* of *Petunia hybrida*: characterization of insertion sequences in two mutant alleles.** *J. Kroon, E. Souer, A. de Graaff, Y. Xue, J. Mol and R. Koes*

81 **Isolation and characterization of a cDNA clone corresponding to the *Rt* locus of *Petunia hybrida*.** *F. Brugliera, T.A. Holton, T.W. Stevenson, E. Farcy, C.-Y. Lu and E.C. Cornish*

93 **Developmental control of small heat shock protein expression during pea seed maturation.** *A.E. DeRocher and E. Vierling*

103 **Binding of BiP to assembly-defective protein in plant cells.** *E. Pedrazzini, G. Giovinazzo, R. Bollini, A. Ceriotti and A. Vitale*

111 **Characterization of two cDNAs that encode MAP kinase homologues in *Arabidopsis thaliana* and analysis of the possible role of auxin in activating such kinase activities in cultured cells.** *T. Mizoguchi, Y. Gotoh, E. Nishida, K. Yamaguchi-Shinozaki, N. Hayashida, T. Iwasaki, H. Kamada and K. Shinozaki*

123 **Complex spatial and temporal expression of lipoxygenase genes during *Phaseolus vulgaris* (L.) development.** *H.G. Eiben and A.J. Slusarenko*

137 **Protein phosphatase inhibitors activate anti-fungal defence responses of soyabean cotyledons and cell cultures.** *C. MacKintosh, G.D. Lyon and R.W. MacKintosh*

149 TECHNICAL ADVANCE
An *Arabidopsis thaliana* RFLP mapping set to localize mutations to chromosomal regions. *C.O. Fabri and A.R. Schäffner*

Number 2 February 1994

157 MINI-REVIEW
Extensin: repetitive motifs, functional sites, post-translational codes, and phylogeny. *M.J. Kieliszewski and D.T.A. Lamport*

173 **Pokeweed antiviral protein inactivates pokeweed ribosomes; implications for the antiviral mechanism.** *M.S. Bonness, M.P. Ready, J.D. Irvin and T.J. Mabry*

185 **Secretion of cell wall polysaccharides in *Vicia* root hairs.** *D.J. Sherrier and K.A. VandenBosch*

197 **The kinetics of cytological events during double fertilization in *Zea mays* L.** *R. Mòl, E. Matthys-Rochon and C. Dumas*

207 **The basic domain in the bZIP regulatory protein Opaque2 serves two independent functions: DNA binding and nuclear localization.** *M.J. Varagona and N.V. Raikhel*

215 **Cloning and *in vivo* expression of functional triose phosphate/phosphate translocators from C_3- and C_4-plants: evidence for the putative participation of specific amino acid residues in the recognition of phosphoenolypyruvate.** *K. Fischer, B. Arbinger, B. Kammerer, C. Busch, S. Brink, H. Wallmeier, N. Sauer, C. Eckerskorn and U.-I. Flügge*

227 **Amplification and expression of the β-glucuronidase gene in maize plants by vectors based on maize streak virus.** *W.-H. Shen and B. Hohn*

237 **Localization of cell wall proteins in relation to the developmental anatomy of the carrot root apex.** *M. Smallwood, A. Beven, N. Donovan, S.J. Neill, J. Peart, K. Roberts and J.P. Knox*

247 **The *psaA* operon pre-mRNA of the *Euglena gracilis* chloroplast is processed into photosystem I and II mRNAs that accumulate differentially depending on the conditions of cell growth.** *J.K. Stevenson and R.B. Hallick*

261 **Transgenic complementation of the *hy3* phytochrome B mutation and response to *PHYB* gene copy number in *Arabidopsis*.** *L. Wester, D.E. Somers, T. Clack and R.A. Sharrock*

273 SHORT COMMUNICATION
Evidence for a role of β-1,3-glucanase in dicot seed germination. *R. Vögeli-Lange, C. Fründt, C.M. Hart, R. Beffa, F. Nagy and F. Meins Jr*

279 SHORT COMMUNICATION
Increased cell cycle-dependent staining of plant cells by the antibody MPM-2 correlates with preprophase band formation. *T. Young, J.S. Hyams and C.W. Lloyd*

285 TECHNICAL ADVANCE
Self-fertile transgenic wheat plants regenerated from isolated scutellar tissues following microprojectile bombardment with two distinct gene constructs. *N.S. Nehra, R.N. Chibbar, N. Leung, K. Caswell, C. Mallard, L. Steinhauer, M. Baga and K.K. Kartha*

299 TECHNICAL ADVANCE
Fertile transgenic wheat from microprojectile bombardment of scutellar tissue. *D. Becker, R. Brettschneider and H. Lörz*

309 **Erratum concerning Volume 4, Number 5, November 1993, pages 833–840, Misawa *et al.***

Number 3 March 1994

311 **Identification of an *Arabidopsis thaliana* gene encoding a plasma membrane H^+-ATPase whose expression is restricted to anther tissues.** *G. Houlné and M. Boutry*

319 **Structural modifications in *Rhizobium meliloti* Nod factors influence their stability against hydrolysis by root chitinases.** *C. Staehelin, M. Schultze, É. Kondorosi, R.B. Mellor, T. Boller and Á. Kondorosi*

331 **Role of cytosolic free calcium in the reorientation of pollen tube growth.** *R. Malhó, N.D. Read, M.S. Pais and A.J. Trewavas*

343 **Hypocotyl expression and light downregulation of the soybean tubulin gene, *tub*B1.** *H. Tonoike, I.-S. Han, I Jongewaard, M. Doyle, M. Guiltinan and D.E. Fosket*

353 **Purification, characterization, and cDNA sequence of glucose-6-phosphate dehydrogenase from potato (*Solanum tuberosum* L.).** *K. Graeve, A. von Schaewen and R. Scheibe*

363 **Gibberellic acid-induced microtubule reorientation in dwarf peas is accompanied by rapid modification of an α-tubulin isotype.** *C.M. Duckett and C.W. Lloyd*

373 **Genetic evidence for the requirement of the *Brassica S*-locus receptor kinase gene in the self-incompatibility response.** *J.B. Nasrallah, S.J. Rundle and M.E. Nasrallah*

385 **Transcripts encoding an oleosin and a dormancy-related protein are present in both the aleurone layer and the embryo of developing barley (*Hordeum vulgare* L.) seeds.** *R.B. Aalen, H.-G. Opsahl-Ferstad, C. Linnestad and O.-A. Olsen*

397 **Regulation of pea cytosolic ascorbate peroxidase and other antioxidant enzymes during the progression of drought stress and following recovery from drought.** *R. Mittler and B.A. Zilinskas*

407 **Identification of nitrate transporter genes in *Chlamydomonas reinhardtii*.** *A. Quesada, A. Galván and E. Fernández*

421 TECHNICAL ADVANCE
Transient transformation of *Arabidopsis* leaf protoplasts: a versatile experimental system to study gene expression. *S. Abel and A. Theologis*

429 TECHNICAL ADVANCE
Stability of transgenes and presence of N^6 methyladenine DNA in transformed wheat cells. *D.F. Chen, P.J. Dale, J.S. Heslop-Harrison, J.W. Snape, W. Harwood, S. Bean and P.M. Mullineaux*

437 TECHNICAL ADVANCE
A light-responsive *in vitro* transcription system from evacuolated parsley protoplasts. *H. Frohnmeyer, K. Hahlbrock and E. Schäfer*

Number 4 April 1994

451 **Abscisic acid promotes novel DNA-binding activity to a desiccation-related promoter of *Craterostigma plantagineum*.** *D. Nelson, F. Salamini and D. Bartels*

459 **FIL2, an extracellular Leucine-Rich Repeat protein, is specifically expressed in *Antirrhinum* flowers.** *M. Steinmayr, P. Motte, H. Sommer, H. Saedler and Z. Schwarz-Sommer*

469 **A new class of tobacco chitinases homologous to bacterial exo-chitinases displays antifungal activity.** *L.S. Melchers, M. Apotheker-de Groot, J.A. van der Knaap, A.S. Ponstein, M.B. Sela-Buurlage, J.F. Bol, B.J.C. Cornelissen, P.J.M. van den Elzen and H.J.M. Linthorst*

481 ***Zea3*: a pleiotropic mutation affecting cotyledon development, cytokinin resistance and carbon–nitrogen metabolism.** *J.-D. Faure, M. Jullien and M. Caboche*

493 **A cotyledon regulatory region is responsible for the different spatial expression patterns of *Arabidopsis* 2S albumin genes.** *A. da Silva Conceição and E. Krebbers*

507 ***hsr*203J, a tobacco gene whose activation is rapid, highly localized and specific for incompatible plant/pathogen interactions.** *D. Pontier, L. Godiard, Y. Marco and D. Roby*

523 ***In vivo* footprinting identifies an activating element of the maize *Adh2* promoter specific for root and vascular tissues.** *A.-L. Paul and R.J. Ferl*

535 **Microbial elicitors of plant defense responses activate transcription of a retrotransposon.** *S. Pouteau, M.-A. Grandbastien and M. Boccara*

543 SHORT COMMUNICATION
Differential activation and conserved vegetative cell-specific activity of a late pollen promoter in species with bicellular and tricellular pollen. *C. Eady, K. Lindsey and D. Twell*

551 TECHNICAL ADVANCE
Stable genetic transformation of *Arabidopsis thaliana* by *Agrobacterium* inoculation *in planta*. *S.S. Chang, S.K. Park, B.C. Kim, B.J. Kang, D.U. Kim and H.G. Nam*

559 TECHNICAL ADVANCE
A chimeric transactivator allows tetracycline-responsive gene expression in whole plants. *P. Weinmann, M. Gossen, W. Hillen, H. Bujard and C. Gatz*

571 TECHNICAL ADVANCE
An approach towards genetically engineered cell fate mapping in maize using the *Lc* gene as a visible marker: transactivation capacity of *Lc* vectors in differentiated maize cells and microinjection of *Lc* vectors into somatic embryos and shoot apical meristems. *M.C. Lusardi, G. Neuhaus-Url, I. Potrykus and G. Neuhaus*

583 TECHNICAL ADVANCE
Transgenic cereal (tritordeum) plants obtained at high efficiency by microprojectile bombardment of inflorescence tissue. *P. Barcelo, C. Hagel, D. Becker, A. Martin and H. Lörz*

593 TECHNICAL ADVANCE
Early events in microprojectile bombardment: cell viability and particle location. *R. Hunold, R. Bronner and G. Hahne*

605 TECHNICAL ADVANCE
Representative cDNA libraries from few plant cells. *T. Dresselhaus, H. Lörz and E. Kranz*

611 **Erratum concerning Volume 4, Number 6, December 1993, pages 1051–1061, Höfte *et al.***

Number 5 May 1994

613 **Sequencing, processing, and localization of the petunia CMS-associated mitochondrial protein.** *H.T. Nivison, C.A. Sutton, R.K. Wilson and M.R. Hanson*

625 **Polygalacturonase-inhibiting protein accumulates in *Phaseolus vulgaris* L. in response to wounding elicitors and fungal infection.** *C.W. Bergmann, Y. Ito, D. Singer, P. Albersheim, A.G. Darvill, N. Benhamou, L. Nuss, G. Salvi, F. Cervone and G. De Lorenzo*

635 **Methyl jasmonate vapor increases the developmentally controlled synthesis of alkaloids in *Catharanthus* and *Cinchona* seedlings.** *R.J. Aerts, D. Gisi, E. De Carolis, V. De Luca and T.W. Baumann*

645 **Cloning of cDNAs for genes that are specifically or preferentially expressed during the development of tobacco genetic tumors.** *T. Fujita, H. Kouchi, T. Ichikawa and K. Syōno*

655 **Control of transcription and mRNA turnover as mechanisms of metabolic repression of α-amylase gene expression.** *J.-J. Sheu, S.-P. Jan, H.-T. Lee and S.-M. Yu*

665 **A karyotype of the *Arabidopsis thaliana* genome derived from synaptonemal complex analysis at prophase I of meiosis.** *S.M. Albini*

673 **Distribution of xylosylation and fucosylation in the plant Golgi apparatus.** *A.-C. Fitchette-Lainé, V. Gomord, A. Chekkafi and L. Faye*

683 **Membrane potential-dependent calcium transport in right-side-out plasma membrane vesicles from *Zea mays* L. roots.** *J. Marshall, A. Corzo, R.A. Leigh and D. Sanders*

695 **Asparaginase gene expression is regulated in a complex spatial and temporal pattern in nitrogen-sink tissues.** *M. Grant and M.W. Bevan*

705 ***In vivo* aggregation of maize *Activator* (*Ac*) transposase in nuclei of maize endosperm and *Petunia* protoplasts.** *M. Heinlein, T. Brattig and R. Kunze*

715 **Biologically induced systemic acquired resistance in *Arabidopsis thaliana*.** *R.K. Cameron, R.A. Dixon and C.J. Lamb*

727 SHORT COMMUNICATION
Phosphatase antagonist okadaic acid inhibits steady-state K^+ currents in guard cells of *Vicia faba*. *G. Thiel and M.R. Blatt*

735 TECHNICAL ADVANCE
Analysis of clones carrying repeated DNA sequences in two YAC libraries of *Arabidopsis thaliana* DNA. *R. Schmidt, J. Putterill, J. West, G. Cnops, F. Robson, G. Coupland and C. Dean*

745 TECHNICAL ADVANCE
Recovery of transgenic peanut (*Arachis hypogaea* L.) plants from elite cultivars utilizing ACCELL® technology. *G.S. Brar, B.A. Cohen, C.L. Vick and G.W. Johnson*

755 TECHNICAL ADVANCE
A heat-shock promoter fusion to the *Ac* transposase gene drives inducible transposition of a *Ds* element during *Arabidopsis* embryo development. *L. Balcells, E. Sundberg and G. Coupland*

Number 6 June 1994

765 **Mutations at two new *Arabidopsis* ABA response loci are similar to the *abi3* mutations.** *R.R. Finkelstein*

773 **Changes in pectin structure and localization during the growth of unadapted and NaCl-adapted tobacco cells.** *M.C. McCann, J. Shi, K. Roberts and N.C. Carpita*

787 **Antisense RNA inhibition of Rubisco activase expression.** *C.-Z. Jiang, W.P. Quick, R. Alred, D. Kliebenstein and S.R. Rodermal*

799 **A light- and temperature-entrained circadian clock controls expression of transcripts encoding nuclear proteins with homology to RNA-binding proteins in meristematic tissue.** *C. Heintzen, S. Melzer, R. Fischer, S. Kappeler, K. Apel and D. Staiger*

815 **Separate *cis* sequences and *trans* factors direct metabolic and developmental regulation of a potato tuber storage protein gene.** *C. Grierson, J.-S. Du, M. da Torres Zabala, K. Beggs, C. Smith, M. Holdsworth and M. Bevan*

827 **Correlation between the activities of five ribosome-inactivating proteins in depurination of tobacco ribosomes and inhibition of tobacco mosaic virus infection.** *S. Taylor, A. Massiah, G. Lomonossoff, L.M. Roberts, J.M. Lord and M. Hartley*

837 **Complex, localized changes in CO_2 assimilation and starch content associated with the susceptible interaction between cucumber mosaic virus and a cucurbit host.** *L.I. Técsi, A.J. Maule, A.M. Smith and R.C. Leegood*

849 **Potato lectin: a modular protein sharing sequence similarities with the extensin family, the hevein lectin family, and snake venom disintegrins (platelet aggregation inhibitors).** *M.J. Kieliszewski, A.M. Showalter and J.F. Leykam*

863 **Transposition of the maize *Ds* element from a viral vector to the rice genome.** *K. Sugimoto, Y. Otsuki, S. Saji and H. Hirochika*

873 **Carbohydrate binding activities of *Bradyrhizobium japonicum* III. Lectin expression, bacterial binding, and nodulation efficiency.** *S.-C. Ho, J.L. Wang, M. Schindler and J.T. Loh*

885 SHORT COMMUNICATION
Synergism between CACGTG (G-box) and CACCTG *cis*-elements is required for activation of the bean seed storage protein *β-phaseolin* gene. *Y. Kawagoe, B.R. Campell and N. Murai*

891 SHORT COMMUNICATION
Identification of *S*-locus linked PCR fragments in rye (*Secale cereale* L.) by denaturing gradient gel electrophoresis. *P. Wehling, B. Hackauf and G. Wricke*

895 TECHNICAL ADVANCE
Identification of molecular markers of embryogenesis in *Arabidopsis thaliana* by promoter trapping. *J.F. Topping, F. Agyeman, B. Henricot and K. Lindsey*

905 **Author index**

909 **Subject index**